

Data Sheet

DTU-1141B

10.1-inch
Pen Display



WACOM® for Business

DTU-1141B

*The leading
eDocument and
eSignature solution*










Product Overview

The DTU-1141B provides an ideal document viewing and signing experience with its 10.1-inch, full HD resolution screen, minimal footprint and thin profile. It operates as an external monitor, but utilizes Wacom's patented pen technology to provide input for writing and signing. It is perfect for business applications that benefit from people working directly on screen with a pen, such as presenting forms for customers to review sign electronically, or mark up and annotate documents. While not in use for signing, it can display slideshows or advertising videos.












Key Features:

- 10.1" LCD boasts full color, full HD resolution (1920x1080) and wide viewing angle.
- Patented, cordless, battery-free pen with 1024 levels of pressure sensitivity for premium signing/writing experience.
- Single USB cable installation. USB cable supplies video, power and USB data.
- State-of-the-art encryption to ensure secure transactions.
- 4 capacitive-touch ExpressKeys can be assigned to common functions.
- Hardened, anti-glare surface provides high durability and easier viewing in different lighting conditions.
- Unique hardware ID (UID) to identify the exact unit used for any transaction.
- Kensington® Security Slot to secure the unit when needed.
- Standard VESA mounts allow you to use third-party arms and stands.









General Specifications

	Dimensions (W x H x D, excluding stand)	11.1 x 8.3 x 0.4 inches (283 x 210 x 11 mm)
	Weight (including stand)	1.8 lbs (800 grams)
	Stand inclination	15°
	Power supply	USB bus power, no AC power required
	Power consumption	5W maximum, 1W in sleep mode
	Communication	Interface USB 2.0 (high speed)
	Supported operating systems	Windows 10 / 8.1 / 7 (32-bit, 64-bit) Mac OSX 10.9 or later







LCD Screen

	Display	AHVA display
	Cover glass surface	Tempered anti-glare etched glass
	Screen dimensions	8.8 x 5.0 inches (223 x 126 mm)
	Aspect ratio	16:9
	Native resolution	Full HD, 1,920 x 1,080 pixels
	Supported resolutions	800x600, 1366x768, 1024x768, 1280x800, 1440x900, 1920x1080
	Viewing angles (horizontal/vertical)	170° / 170°
	Luminance (brightness)	200 cd/m2 (typical)
	Contrast ratio	1000:1 (typical)
	Response time	N/A
	Colours	16.7M colors

Tablet and Pen

	Technology	Electromagnetic Resonance (EMR)
	Coordinate resolution	2540 lpi or 0.01 mm/pt
	Coordinate accuracy	±0.02 inch / ±0.5 mm (center)
	Report rate	200 points per sec. (non interpolated)
	Pressure levels	1024
	Security lock slot	Yes
	Encryption	AES 256 / RSA 2048
	Data security	Real time signature capture without internal pad memory

Miscellaneous

	Reading height	5 mm or more (center)
	Pen storage	Integrated pen compartment, pen holder
	Mounting system	VESA 75 mm
	Signature software compatability	Compatible with signature / E-signing software and Wacom sign pro PDF, C++, .NET and Java SDK/ API available for developers
	Drivers	Wacom driver and DisplayLink driver required
	Package content	DTU-1141B, Pen, USB cable, quick start guide, pen tether, 5 extra pen nibs, nib removal tool, 4 VESA mounting screws, USB plug attachment

Energy efficiency class and information for COMMISSION REGULATION (EU) 2019/2013

